

Ala Val Glu Asn ^{B1} Lys Glu Glu Thr Pro Glu Thr Pro Glu Thr Asp Ser
 1 5 10 15
 Glu Glu Glu Val Thr Ile Lys Ala Asn Leu Ile Phe Ala Asn Gly Ser
 20 25 30
 Thr Gln Thr Ala Glu Phe Lys Gly Thr Phe Glu Lys Ala Thr Ser Glu
 35 40 45
 Ala Tyr Ala Tyr Ala Asp Thr Leu Lys Lys Asp Asn Gly Glu Tyr Thr
 50 55 60
 Val Asp Val Ala Asp Lys Gly Tyr Thr Leu Asn Ile Lys Phe Ala Gly
 65 70 75 80
^{B2}
 Lys Glu Lys Thr Pro Glu Glu Pro Lys Glu Glu Val Thr Ile Lys Ala
 85 90 95
 Asn Leu Ile Tyr Ala Asp Gly Lys Thr Gln Thr Ala Glu Phe Lys Gly
 100 105 110
 Thr Phe Glu Glu Ala Thr Ala Glu Ala Tyr Arg Tyr Ala Asp Ala Leu
 115 120 125
 Lys Lys Asp Asn Gly Glu Tyr Thr Val Asp Val Ala Asp Lys Gly Tyr
 130 135 140
^{B3}
 Thr Leu Asn Ile Lys Phe Ala Gly Lys Glu Lys Thr Pro Glu Glu Pro
 145 150 155 160
 Lys Glu Glu Val Thr Ile Lys Ala Asn Leu Ile Tyr Ala Asp Gly Lys
 165 170 175
 Thr Gln Thr Ala Glu Phe Lys Gly Thr Phe Glu Glu Ala Thr Ala Glu
 180 185 190
 Ala Tyr Arg Tyr Ala Asp Leu Leu Ala Lys Glu Asn Gly Lys Tyr Thr
 195 200 205
 Val Asp Val Ala Asp Lys Gly Tyr Thr Leu Asn Ile Lys Phe Ala Gly
 210 215 220

C1
cont

Cl
concluso

u Pro Lys Glu Glu Val Thr IL
235

y Lys Thr Gln Thr Ala Glu Ph
250

a Glu Ala Tyr Arg Tyr Ala As
265

r Thr Ala Asp Leu Glu Asp GL
280 285

a Gly Lys Lys Val Asp Glu Ly
5 300

B5

s or mixtures of [the] domains B1-

C2

led) A hybrid
has the [follow
u Thr Pro Gl
1
s Ala Asn Le
25

Ch

Thr Gln Thr Ala Glu Phe Lys Gly Thr Phe Glu Lys Ala Thr Ser Glu
 35 40 45
 Ala Tyr Ala Tyr Ala Asp Thr Leu Lys Lys Asp Asn Gly Glu Tyr Thr
 50 55 60
 Val Asp Val Ala Asp Lys Gly Tyr Thr Leu Asn Ile Lys Phe Ala Gly
 65 70 75 80
 Lys Glu Lys Thr Pro Glu Glu Pro Lys Glu Glu Val Thr Ile Lys Ala
 85 90 95
 Asn Leu Ile Tyr Ala Asp Gly Lys Thr Gln Thr Ala Glu Phe Lys Gly
 100 105 110
 Thr Phe Glu Glu Ala Thr Ala Glu Ala Tyr Arg Tyr Ala Asp Ala Leu
 115 120 125
 Lys Lys Asp Asn Gly Glu Tyr Thr Val Asp Val Ala Asp Lys Gly Tyr
 130 135 140
 Thr Leu Asn Ile Lys Phe Ala Gly Lys Glu Lys Thr Pro Glu Glu Pro
 145 150 155 160
 Lys Glu Glu Val Thr Ile Lys Ala Asn Leu Ile Tyr Ala Asp Gly Lys
 165 170 175
 Thr Gln Thr Ala Glu Phe Lys Gly Thr Phe Glu Glu Ala Thr Ala Glu
 180 185 190
 Ala Tyr Arg Tyr Ala Asp Leu Leu Ala Lys Glu Asn Gly Lys Tyr Thr
 195 200 205
 Val Asp Val Ala Asp Lys Gly Tyr Thr Leu Asn Ile Lys Phe Ala Gly
 210 215 220
 Lys Glu Lys Thr Pro Glu Glu Pro Lys Glu Glu Val Thr Ile Lys Ala
 225 230 235 240
 Asn Leu Ile Tyr Ala Asp Gly Lys Thr Gln Thr Ala Glu Phe Lys Gly
 245 250 255
 Thr Phe Ala Glu Ala Thr Ala Glu Ala Tyr Arg Tyr Ala Asp Leu Leu
 260 265 270

C3
 cont

Ala Lys Glu Asn Gly Lys Tyr Thr Ala Asp Leu Glu Asp Gly Gly Tyr
 275 280 285

Thr Ile Asn Ile Arg Phe Ala Gly Lys Lys Val Asp Glu Lys Pro Glu
 290 295 300

Glu Pro Met Asp Thr Tyr Lys Leu Ile Leu Asn Gly Lys Thr Leu Lys
 305 310 315 320

Gly Glu Thr Thr Thr Glu Ala Val Asp Ala Ala Thr Ala Glu Lys Val
 325 330 335

Phe Lys Gln Tyr Ala Asn Asp Asn Gly Val Asp Gly Glu Trp Thr Tyr
 340 345 350

Asp Asp Ala Thr Lys Thr Phe Thr Val Thr Glu Lys Pro Glu Val Ile
 355 360 365

Asp Ala Ser Glu Leu Thr Pro Ala Val Thr Thr Tyr Lys Leu Val Ile
 370 375 380

Asn Gly Lys Thr Leu Lys Gly Glu Thr Thr Thr Lys Ala Val Asp Ala
 385 390 395 400

Glu Thr Ala Glu Lys Ala Phe Lys Gln Tyr Ala Asn Asp Asn Gly Val
 405 410 415

Asp Gly Val Trp Thr Tyr Asp Asp Ala Thr Lys Thr Phe Thr Val Thr
 420 425 430

Glu Met]

and [variants,] subfragments, multiples or mixtures of [the] domains B1-B5 having the same binding properties.

11. (Amended) A reagent kit for binding, separating and identifying immunoglobulins, characterized in that it [includes] comprises a protein according to any one of Claims 1 [and] or 3-5 and a detection reagent.